



Job Name

Catalog Number

Notes

Type

CLC-2227



LENS

- Top grade opal acrylic lens.
- Custom lens are available, please consult factory for minimum quantities and lead times.

HOUSING

- Can be made with almost any material.
- Comes with a standard powder coat finish.
- When powder coated, metal material goes through a degreasing process before painting. Powder coat paint is then applied and baked to ensure longevity.
- For custom finishes please consult factory.

COMPONENTS

- Ballast is electronic normal power factor and operates at 120v
- UL listed for Damp or Wet Location.
- High Power Factor and other voltages also available upon request.
- Other options include emergency back up ballast, occupancy sensors, dimming ballasts, photocells and other specifications.
- Consult factory for any special requirements or specifications.

APPLICATION

- This fixture is ceiling mounted and can only be used in Damp Locations. Commonly used for decorative rooms, offices, hallways/corridors, rest-rooms and other residential and commercial spaces.



<u>ITEM #</u>	<u>A</u>	<u>B DIA</u>		<u>LUMENS</u>	<u>LAMPS</u>
SM-CLC-2227-26Q	3.50 in	11.00 in	0.00 in	1800	1-26W QUAD
SM-CLC-2227-213Q	3.50 in	11.00 in	0.00 in	1800	2-13W QUAD
SM-CLC-2227-213	3.50 in	11.00 in	0.00 in	1600	2-13W PL
SM-CLC-2227-22C	3.50 in	11.00 in	0.00 in	1100	1-22W 8 in. Cir.
LG-CLC-2227-32T	3.50 in	14.00 in	0.00 in	2200	1-32W TBX
LG-CLC-2227-226Q	3.50 in	14.00 in	0.00 in	3600	2-26W QUAD
LG-CLC-2227-32C	3.50 in	14.00 in	0.00 in	1950	1-32W 12 in. Cir.
LG-CLC-2227-54C	3.50 in	14.00 in	0.00 in	3050	1-22W 1-32W Cir.
LG-CLC-2227-313	3.50 in	14.00 in	0.00 in	2400	3-13W PL

